

*walimex*pro

Copy of Instruction Manual



Deluxe Movable Light Bowl, 100x200cm

FOTO WALSER
SPEZIALVERSAND

Gewerbering 26

86666 Burgheim

Tel. +49 84 32 / 9489-0

Fax. +49 84 32 / 9489 - 8333

eMail: info@foto-walser.de

www.foto-walser.de

Congratulation to your new walimex pro Deluxe Movable Light Bowl! The professional prism shape Light Bowl is ideally suitable for product photography from larger objects. It is easy to set up and creates optimal light through big reflection surfaces.

1. Included in delivery



- (A) 3x long corner bars approx. 120cm
- (B) 3x short corner bars approx. 80cm
- (C) 8x intermediate bars for fastening the corner bars (3x roof, 3x ground, 2x center), approx. 100cm
- (D) 1x softbox cover
- (E) 6x inner bars for fastening corner bars and spigot connection piece (center), approx. 57cm
- (F) 3x wheels with brake
- (G) 2x 5/8 inch spigot connection piece
- (H) 1x front diffusor

2. Safety notes



- Please read these instructions carefully before using your device for the first time. It includes everything you need to know to avoid physical injuries and damages.
- Please keep this manual safe. In case of selling or leaving the device to other persons, please don't forget to hand this manual over as well.

WARNING

Fire danger through overheating. The Light Bowl can overheat during continuous operation.

- Pay attention to the inner temperature and ventilate the softbox sometimes.
- Remove easily inflammable materials, which are in close distance to the device.
- Read the instruction manual of the used device.
- Make sure a correct cable guiding inside the softbox.

Danger of burning through hot parts in the Light Bowl.

Risk of stumbling through connected cables with the softbox.

Before use, fix the wheels through the brakes and pay attention to a stable stand.

Please mount this item with two persons.

3. Assembly instruction

Step I

Stick a long corner bar (A) and a short corner bar (B) together and tighten the Allen screw. Repeat this three times.



Step II

Take the approx. 57cm long inner bars (E) and screw them into the connection piece with 5/8 spigot (G). Repeat this two times.



Step III

Insert the approx. 100cm long intermediate bars (C) in the corner bars of *Step I* for the ground and roof and tighten the butterfly screw. Afterwards, you can screw on the wheels.



Step IV

Take the inner bars from *Step II* and put it in the center of the complete softbox frame. Pay attention to the upright position of the spigot. Tighten the butterfly screws.



As to complete the softbox frame, take the two left approx. 100cm long intermediate bars (C), stick them in the center between the corner bars and tighten all screws.



Step V

At the front side of the Light Bowl is no intermediate bar (C) in the center. Place the Light Bowl on the softbox cover (D) and pull it from the rear edge over the roof to the front. The back wheel must be stuck into the the small opening of the softbox cover (D).

With the Velcro fastener you can attach the softbox cover on the front bars.



Step VI

Mount your devices onto the 5/8 inch spigots in the softbox. Pay attention to a secure mounting. Take account of the safety notes in this instruction manual and in the manual of the device manufacturer.

Tip: Fix the cables with cable straps on the bars and guide them outside through the backside, below opening.

Step VII

You can attach the front diffuser (H) on the lateral Velcro fastener slat.

